



Alvan J. E. Jennings.

Brunswick

Va

deposition

Nov 4 1842,

Jennings O. 75-

u
22

131

24
Tues

Hour	Mon.	Tues	Wednes	Thurs	Friday	Satur.
10. a.m.	Mitchell	Mitchell		Mitchell	Mitchell	
11. a.m.	Mutler	Mutler		Mutler	Mutler	
12. p.m.	Bache	Bache	Med. clinic	Bache	Bache	M. clinic
1. p.m.	Pancoast	Pancoast	Sur. clinic	Pancoast	Pancoast	S. clinic
4. p.m.	Huston	Meigs	Huston	Meigs	Meigs	Huston.
5. p.m.	Dungli	Dungli	Pancoast	Dungli	Dungli	Meigs

Mitchell. Practice of Medicine

Mutler. Surgery.

Bache. Chemistry.

Pancoast. Anatomy.

Huston. Materia Medica.

Dunglison. Physiology.

Meigs. Midwifery & diseases of women.

The second course of lectures will commence at Jefferson Medical College on the 15th of October.

The order of delivering lectures will be the same of last winter.

Clinic prescriptions.

	Page		Page
Bright's disease. no.	4	Leucorrhoea,	11
Peritonitis	.1	Heart.	,12,13.
Malarious affection.	1	Drunkenness	,12,
Hysteria.	2,7,13	Crusta lactea.	,12,
Croup.	2,3,15	Torpor of bowels,	,14,
Dyspepsia.	3,10,15	Curved spine,	,15
Pain in insiformear	.3	Rectum.	,16,
Neuralgia.	.4,5,10,13	Thricosis,	,16,
Pyrosis.	.4,9	Exema	,16,
Bowel affection.	.5,8	Gastritis	,17,
Phthisis.	.6,8,10,11,14	Gastritis	,17
Scrofula.	6,9,	Leucorrhoea	,17
Mucous ulcer.	.7	Heart.	,17
Rheumatism.	,17,8,	Heart	,17
Syphilis.	,9,16,	1,2,3,4,5,6,7,8,9.	
Insanity.	,9,16,9.	10,11,12,13,14,15,	
Indigestion	.5,9,	16,17,18,19,20,21,	
Dropsy	,10,	22,23,24,25,	
Bronchitis.	,10,15,17,	26,27,28,29,30,31,	

1
Chronic Peritonitis, married woman has had
children - Tumefied abdomen - Tympanitic
- no fluctuation - no tumefaction of lower
extremities - very tender on pressure - scarcity
of urine - no Catamenia.

Rp aloes gr. i

= Rhei = ^{ij}

Præpitate carb. ^{ana} gr. v

in powder 2 or 3 times daily

also friction by opodeldoo

12. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15

Malarious affection, married woman has had
children - Tumefied abdomen - no fluctuation
- Tympanitic - Cause malarious influence

Rp Sulph. ^{ana} gr. v

very morning also - Tonic-cathartic

Aloes, gr. i

Rhei gr. v

Præ carb Iron, gr. v

in powder 2 or 3 times daily

Dumb Ague - Sympomatic

Same as the above case - Treatment same

Hysteria - married woman, has had children
very costive - costiveness one of the most prom-
inent symptoms - Urinary organs correct

Rx Aperient - Pill

Alow gr. i

Rhei gr. iij Blr li

Tart. antimony gr. $\frac{1}{16}$

Hyd. chl. mti. gr. $\frac{1}{8}$

Keep the bowels gently open with these
pill - then in addition / Rx - Asafoetida
- gr. iij

in powder every night

Sanguinarius Striculus. Symptoms, difficult
breathing - with some hoarseness from the
slightest exposure - Strangulation lasting
about one hour & sometimes longer, next

True croup is the formation of false membrane in the Larynx. There are four kinds of croup. In the first take the patient into the open air sprinkle a little water on its face. Treatment, Vegetable tonic.

R^x Assafoetida - gr. i

= Sulp. guinea gr. i

every night at bed time for a week, also an Emetic. If the fit last longer than one hour, R^x antimonial wine.

Flatulent Dyspepsia, Treatment - mineral Tonic

R^x Myrrh gr. v

Precipitate Carb. Iron. gr. v

2 times a day for a week.

Complaints of Pain in the lower end of the auriform cartilage for a week, more acute in the night - Tenderness between the scapular

Treatment - cups between the scapular

Intermittent Neuralgia - Pains in the hip in damp weather, extending down the leg. the course of the sciatic nerve - miasmatic the cause
 Treatment - cups to the lumbar region - hip bath at bed time - also

R Potassium gr V - 3 times daily

Pyrosis or water brash - The mouth fills with water - R Oil succini grt XX
 Twice a day on teaspoon of Sugar with or without a little Gum acaciae and water.

Bright's disease or albuminous urine has caused dropsy - has been taking digitalis and greatly improved by this treatment - he also has a pectoral affection but is getting better of this also -
 This Bright's disease gives tenderness to the tubercular deposit. This patient also has
 Diarrhoea, R Ketina gr. x. for the Diarrhoea and continue the Digitalis.

- 30 ^{of} Faecal accumulation in the colon has been purged by castor Oil every other day - has been cupped - kept on low diet, etc.
- 31 Bowel affection of long continuance Mexican Soldier - he is reduced almost to a skeleton - tongue little furred and a little dry at the end and edges. This thought to be ulceration of the intestines owing to chronic inflammation of the intestines - Oil Turpentine is an excellent remedy in this disease. But in this has been tried without much benefit - so - R. Nitro. aggrinti gr. ʒ3, opii gr. also Rationa, gr. v. The opii and Nitrate silver to be given four times a day increasing the quantity - diet should be simple - such as rice - bread - milk - boiled mutton, etc.
- 32 Neuralgia - caused by malarious influence - ~~pain~~ side - greatly increased in inspiration & pressure - abrays in such cases examine your patient's spine and see if you

6 Neuralgia

32 cannot find some tender places, such places have not been found in this case and cups is to be given or applied and if that will not do try a plaster of Tartar emetic also. R^y

R^y Sub, carb, Iron 3ss Three times a day

33 Phthisis in first stage - has had a cough for one year - pulse feeble - there is a little ^{gray} tuberculous deposit on the top of the lung - left side flat on percussion and somewhat depressed the voice louder on one side than the other that sound is called Bronchophony when softening has taken place in this disease of the lungs - you will hear a cracking noise as the air passes through the matter. Treatment R^y infusion of wild cherry bark - wine glass full three times a day - also Carnivora oil - table spoon full three a day. this Carnivora Oil is attracting great attention in Germany, France and America in Scrophulous affections

34 Scrophula - This is a well marked scrophulous case - Scrophulous diathesis in every

respect= light-hair-blue eyes-thick lips
 of a very fine texture a very delicate skin, &c
 - curved spine - there is no known cause of
 this disease - Swollen abdomen. In this
 disease the blood becomes pale and watery
 and abscesses form and discharge a cheesy
 looking matter. This case has advanced so
 far as to require a prompt treatment.

The salt-bath is antiscrophulous and must
 be used in this case } R^o Bitartrate of Potash; gr. iij
 also R^o Iodide } - - - Solap. gr. iij
 Potassium gr i } every night so as to produce
 3 times a day } about 2 evacuations
 Hysteria -- R^o camphor . gr. s. -
 oil valeriana gtt 12
 in table spoon full emulsions.

Mucous ulcer - Treatment. Nitrate of Silver
 this is one of the best remedies to all mu-
 cous surfaces - also a small dose of
 Iodide Potassium.

- 37) Phthisis in first stage - weigh for one year - pain under the Sternum greatly increased by coughing - slight deposit of tubercular matter at the top of the lung. Treatment

Rf arsenate of ammonia .gr. 1

— Aqua .3.1

take gtt 5 three times a day

Also Rf of the Mass of Bicar, gr. 5

5 hours after the arsenate ammonia

- 38) Woman age 55 married - has a pale countenance - chronic bowel affection - nothing to indicate disease by percussion (chronic disease of the heart) the discharge from the bowels like fat resembling Spumaceti. Treatment give the mercurial. Rf calomel - Speec - Opii & digitalis a a gr 1/4 - three times daily.

- 39) Muscular Rheumatism - has been cupped 3 times - by tonic after alive - Rf Iodide of Potassium - gr 5 - continue cups - give Iodide three times a day

98 99 98 99 9
40 Pyrosis. has been treated with oil succum some better
but not cured. give an emetic. — R^x Sulph copper gr. 10
in morning on empty stomach. — if it does not
operate in half an hour give — Ipecac

41 Chila - Hereditary syphilis - Aphtha also. treat
Aphtha with Borax and white sugar a.a. — Potassia
Potassia gr. 10. — also salt-bath.

42 Insanity. Young man age 17. Treatment - Rigid diet
and bleeding - bleeding every other day. S. Mitchell
is confident of success. — he has 27 recorded cases
cured by this treatment.

43 Scrophulous Treatment R^x Lyals Solution
gr. 5. three times daily. also apply the ointment.
Iodide potassa etc the tumours.

44 Indigestion - Little Girl age 6. - Pain in the
head lasting 5 minutes passing down and settling
in ^{the} side. S. Mitchell thinks this a nervous case
she is about the right age - Tympanitic abdomen
some what enlarged. R^x Aloes gr. 1. Rhubarb gr. 11,
calomel gr. 8 - every night bed time

45 Man 48 Dropsy - Treatment \mathcal{R} Elaterium gr. 3, every night.

46 Phthisis first stage lady, 25^{yr} \mathcal{R} arsenic of Soda gr. 1, aqua 3 - one gtt 3 times first day & the second increasing one every day also the precipitate carb Iron gr. 5 - three times a day. Logan's Plaster to the most tender part.

47 dyspepsia — \mathcal{R} compound earth pill also Tincture digitalis. gtt 3.

48 Bronchitis - Boy 7 years old - has hot skin frequent pulse for 4 days - some cough - spits up yellow mucus. Treatment.

\mathcal{R} Speccac gr. 12

Tart. antimony gr. 1, an emetic

Give this and after the stomach becomes composed - give gtt 5 of antimonial wine every half hour.

49 Neuralgic affection of Liver. woman age 60. Pain in right Hypochondrium. eyes little yellow, flushed face - tongue white on the edges. pain increased by exercise.

Sleeps on the right side - Bowels not disordered. Treat - Tonic alterative

Rf Iodide Potassium, gr. 5, 3 times a day

50 Consumption in first stage. woman has had a cough for 2 years, (page 33) increased by exercise - head ache increases by coughing - a little dullness on the top of the right lung no fever - Treat - Arsenic and Iron - remedy

Rf Arseniate of Soda, gtt. 10

Strength, gr. 1, to 3d. also Iron gr. 5,

51 Phthisis, man ^{age} 34 pain right side - Gentlemen

if a man spits up blood you may be sure of the formation of tubercles - Troubled respiration on the left side - night sweats

Treat - a solution of alumina rubbed on the chest to prevent night sweats also

Rf Arsenic et Iron.

52 Leucorrhoea. woman. 32. Pain left side below the Spleen - Treat - Rf

Sulph Zinc, gr. 1/2, Sulph quinia, gr. 1 every night bed time.

- 53 Dilation of Heart, woman married
age 35. has had palpitation for 4 years
greatly increased on going up stairs

Rx Muriated Iron, grs. 5-

digitalis, grs. 5-

mixed at time of taking.

- 54 Drunkenness - man ^{age} 28 Treatment 7

Rx. acetate ammonia - cochlea ^{3 times} mag. daily

- 55 Crusta lactea - Little girl ^{age} 6, eruption around
the eyes and ears - for some time standing
therefore it will not do to cure it in a
short time for it might attack an in-
ternal organ or bring on nervous sym-
ptoms such as chorea

Rx - Syrup of Sarsaparilla made altera-
tive. By corrosive sublimate.

Comp Syrup Sarsaparilla $\frac{3}{4}$ lb. to gr. 1, of
corrosive sublimate - dessert spoonful
2 a day - application of flax seed
to the part.

56 Sciatica - man age 45 - has been treated dovers powders and acupuncture without benefit. oil Serebinth has been long used in this disease carb of Iron, also - Treatment.

Rx. oil Serebinth - oil olives - Liguor ammonia ^{of each} aa - to be used as counter Irritant - also Serebinth 10 gts internally 3 times a day in little molasses.

57 Hysterical - Girl age 17. prominent symptoms - stupidity - a complete tremor of the eye lids - her limbs remain in any position in which they are placed - precisely the state produced by animal magnetism etc

Rx carb Iron. gr. X. 3 times a day - shower bath - flesh brush & animal food - exercise in the open air.

58 Palpitation - man 48, face somewhat mottled - Pain in the right side - Palpitation depending on nervous debility. Rx - magnes sulph 3jss - ferri sulph 3 - Bitartrate Potassa ʒss To a quart water. dose - wine glass full in morning

59) Phthisis — man, 45, cough for some time
pain in chest - cough most at night spits
up blood - By inspection there is depression
under the right clavicle by percussion - tone
dull on the right side also - by auscultation
mucous rhoncus detected in left side
All physical signs lead us to believe that
there is tuberculous softening on the left
lung & the patient will die of
consumption - a palliative treat

R Olive oil - croton oil aa rub on
over the chest under the clavicle and as soon
as the pimples get well rub it on again

60 Boy 12. complains of the right side - lies
on his back - has had a swelling on the
right side and has been blistered. Bowels
a little distended - vomits up every thing he
eats - Torpor of Bowels - R sulph magnes
℥ss - ferri sulph ℥. bitartrate Potassa gr. 14
abstain from animal food

61 Curved Spine - Rtl 14 right hip projects
and right shoulder highest - look pale etc.
Treatment - have corset made and
brace with whalebone tighten it a
little every day and in time the
deformity will disappear. in addition
R₂ precipitate Carb Iron gr. V. 3
times a day.

62 Croup, - Squill, 4, grs, Senna 4, grs,
Tartarate antimony 10. grs, 4 pint water
4 lbs Sugar, dose. 10 gtt every hour.

63 Dyspepsia - Aloe, Iron & Lye of
Dickory ashes,

64 crepitus crepitus rhoncus
is a sign of Pneumonia and
you have it in no other disease

65 Chronic Gastritis,
Carbo ligni. gr x. magnesia grs. Vi. Pulv Zin-
geri. gr x, 3 grs before each meal. rub Croton
oil on Stomach untill pimples appear
Turn over

- 65 Also, magnesia Sulph 3i, Sulp Ferri
grs xv, wine glass full every morning
- 66 Hemorrhage from Rectum coming
from upper intestines, magnesia Sulph
3i, acid Sulp dil gtt xx in pint water
two tablespoons in day
- 67 Syphilitic eruption
Syrup made from one lb rock candy et
one pint water, wine glass full
drop in $\frac{1}{16}$ gr oxide Mercury wash-
ing parts with soap et aqua.
- 68 Trichosis, use Donovan's Solution
Rp Sig Hydra. et arsenic et Iodine
gtt. 5. - ter diem. Also cut hair, wash
with soap et aqua 6 times a day to
prevent the scale from forming
Iodide unguentum spread on the head
then cover with oil silk,
- 69 Exema, bowels open daily, warm app
et-pulv magnesia, gr. i, pulv Rci gr. 4.
gingib. gr. i, night et morning

- 70 A weaver. Bowel complaints; stools often water stool, pain in bladder, water must be drawn. R^x. *Oleum Ricini* 2 tea-spoonfuls, *ip^{ec}ac* gr. 10, 2 times daily
- 71 Gastritis. Burning in umbilical region, if she eat any thing it hurts, R^x. *Magnesia* 10 gr, *pulv* *Singaber* gr v *pulv* *Beii* gr x,
- 72 Strumous Rheumatism joints swollen et distended *Iodide Iron* gr^s x.
- 73 Amenorrhoea. Atonic state of the system generally, or Uterus particularly hence chalybeates are advisable. R^x. Proto carbonate of Iron in pills 3 times a day, 2 grs in pill.
- 74 Opium good for a cough. Opium, gum Arabic, Sugar et aqua et *Ip^{ec}ac* constitute brown mixture, blister on the chest as large as a dollar, sometimes on the deltoid,
- 75 Jaundice. correct liver, ^{give} *the* *meas*

76 Heart-disease age 24. Tumor of the whole body owing to arterial excitement disease as the semilunar valves of the aorta. valvular disease, heart has increased in size. face flushed, eyes red, muscular action. Dilatation produces large arteries: pulse more feeble. Largest diameter should be 3 inches, effusion in heart. only one medicine, Digitalis which absorbs water, stimulate kidneys, squill add on, stimulate liver calomel, 12 gr digitalis, 12^{gr} calomel, 1^{gr} squill, make red blood, Tonic Iron, animal diet.

77 Girl age 19 Acute articular Rheumatism, waist swollen, pulse hard & frequent, use opiate of guinea with Opieac about noon, say 12 grs guinea, at night Dover's powder. ~~For five weeks~~ apply camphor & soft soap to the parts swollen, guinea for four days Dover's Powder continued afterwards if this fail

cups to the spine et neck)

78) woman age 40. unmarried. catamenia regular pain over liver et in shoulder slight blowing sound et dilatation of the heart - calomel 1 gr, Digitalis extr 1 gr in pill every night. until it produces a change

79) Eliza Parker. Anemic chronic cough for 5 or six winters, a regular hectic, Pectoral viligee $\frac{1}{2}$ gr of unguentum Rapsdrageri mistus 3 times daily et 5 grs muricata tunc Idem.

79) John Harrington, age 7. has four fits every day ever since Christmas, had received a blow on his head some 3 months before he had fits. memory is gone, also at various age a complications of diseases. purge actively et a seton over the injured part - 3 grs. Aloes, 5 grs. ^{to} Serpentina, closty.

80) Old man, 51. disease of the heart; can hear it beating irritability extends to the brain. sleep disturbed. pulse fluttering. little

organic valvular disease, combine 5-gtts
Digitalis tinct, 1/2gtts muriate tinct Iron daily

81) Boy, 15. water in cellular tissue, poisoned
in malarious district irregular Intermittent
sick 3 months, water in chest, Hyal clo mit
1/2 gr, 1/2 gr quinia, 1/2 gr Squill, 1/2 gr Digitalis,
every night

82) Herpetic eruption on her hands. flannel
dip't in salt-water is very good
et 1/2 gr blue mass every night at bed

83) woman, 42. Change of life nervous
irritability, plethora, disease of uterine
organs, bleed 63, 3gr Asafoetida 1/2
gtt of oil valerian to be taken in morning

83) 48, soreness in chest, mucus dis-
charge vomits 2 hours after eating
in Duodenum does not always
throw up food, after arises without
effort, seat of Pyrosis opens nervous
ous, chronic inflammation of the
stomach, lies on left side, apply

Specific gravity of Urine 1015, 1030

first Sulp. capri 10 gr in syrup, after
the 4th or 5th mit Argenti three times daily
84) Mentagora, Thircozes menti

Fungus growth, handle it with care-
tion, one cure, Sal ammoniac, Pearl
ash $\frac{1}{2}$ oz in solution of Whiskey $\frac{1}{2}$ pint
a wash, glands not enlarged,

5 grs Fowler's solution 3 times daily
86) 29, eruption pitheous, scale on
top, Syphilitic, ordinary treatment

86) Tortar et Jolap will cure a case
Paralysis by Dr Meigs

87) Quotidian chills & tertian. 23, eye is
discoloured, skin bad, 3 gr Quinin $\frac{1}{2}$ oz
arsenious acid every morning blue
pill at night for a week. some Glime
for 21 days.

88) Rush of blood to head 3 times
daily & always hot. feet cold, slight
distillation of heart, want of proper dis-
tribution of blood, small ulcer ^{nose} on

a stimulant, mild cherry bounce
1/2 camphor, 2 gr capseum, 5 grs
carbonate Iron, 3 times daily, she needs
red blood, et Pediluvia at evening
(89) cough for 2 months, Acute fever
Phthisis, organic disease in lungs,
better in Utero gestation, swelling of
limbs, black drop at night.

(90) small boy swelling of abdomen
falling in Intestina in evening like
or probable Hernia coming in var-
nicious stage, 10 gr Ocean Tar, 5 grs
Jalap, every night. Purge children in
morning age, 1/2 gr cream Tar, 1/4 calomel

(91) Child, Tympanitic, 1 gr calomel
every night - continue quinia

(92) Boy, 13, has fits irregular from 4
years old, looks very natural, head
goes around about 10 minutes before
1/4 gr Argenti nitras, 20 grs Serpentina
once daily,

(93) 78, Dry tetter, 20gr Ried ointment of
Mercury in lard forming ointment
to be rubbed on several times daily.

(94) 42, Catamenia suspended some-
times in elbow joint, Neuralgia, R
4gr internal solution Chloroform
1gr Aconite rubea 2gr lard to
be placed on several times daily.

(95) Exostosis ^{or multiple} growing on Parietal
bone, tumor non malignant removed
in next week.

(96) 26, Pain from thigh to 3 inches below
knee, neuralgic, nervous, gouty, deathosis
for eleven years every day, Uttermost irrita-
tion, Hiera Picra for every evening
where by Aconite 1gr. to 1/2 of lard, oin-
tment, to be put on top, twice daily.
Catamenia was suppressed at 16-
Uttero gestation best remedy.

(97) Oleum Jacoris Arcelli good
Phthisis in lungs & lungs

98 Mary Many 17. has cough
ever since having fever et ague. Pain
anemic, capillaries are weak, inter-
nal organs congested perhaps liver
et spleen; use tonics et stimulants
exercise, restore circulation to skin
Sovier's Powders et warm aqua
every night - for 2 hours after
warm bath, remove blanket et
put her to bed, catamenia suppressed

99 a girl anemic, Tinct Hiera
Piera, also 2 gr squill, 2 gr pure
Iron every evening. Hiera Piera is
made of Conella alba et aloes.

100 A Keith 17. has cough, spits
blood from Larynx, ulceration has
lasted some time, Prepare the
system, Iodide Potas, 4 gr in
solution 3 times daily after
3 weeks use caustic Lunar
Dysphagic

(100) Butte, 36, married, has 6 -
children. Pain in right-side at-
tend-Ilium inflammation has taken
place. Purge, with Hyal chl^s mut
5 grs. every night & out in morning
for 6 or 8 days, feculent matter
in Coecum. after hot fomentation

(102) 2 grs of As_2 in lard 2 $\frac{1}{2}$
is good for ointment in cutaneous
eruptions at $\frac{1}{4}$ grs As with caution

(103) Always purge children add-
ing Phosphate lime, in nearly all cases

(104) Slice matter, 22, pain across
breast fly up on back of head
pulse 80, four weeks, good color
little cathartics if ill every night

(105) 42 Catamenia only twice in
12 months leg swollen, cedema of leg
it is probable the Catamenia now sus-
pended too soon, restore Catamenia
with Herba Pura, 5 to 10 grains daily

(105) Mary, 46. Pain in side right -
increases on sitting, ~~for~~ five months
since catamenia. pain from chest
to side, spinal, let catamenia stop
first before permanent relief $\frac{1}{6}$
gr ex Belladonna $\frac{1}{4}$ grs

2 gr quinia, $\frac{1}{2}$ gr Iron, oint-
ment, of tar & linseed catamenia & long
care on pain, sometimes cups

(106) Margaret Fisher, Eruption on
face, ~~the~~ Erythematous, common
Red precipitate ointment,

(107) girl, 24, has had 4 children
pain over liver, usually in sedentary
classes, arising from affection in
Uterus, correct Uterus,

(108) John Davison, 8. inflammation
of skin, Tar ointment pills
vegetation,

(109) James Edwards, 57, Agues
every other day. Symphoricarps seem
in abdomen. Iodine Potas 5 grs.
Arsenic $\frac{1}{12}$ grs. in 3 H₂O. Iodine
Potassa 5 grs at night. As $\frac{1}{12}$ gr in
3 H₂O an hour before each meal

(110) W^m Edwards, 16, eye deeply
tinged yellow. also skin, liver
performing its function depending on
some disease of blood, tongue yellow
all mucous membranes is yellow
once had scurvy 12 months ago
tenderness over the liver. foundation
of course obstruction is mechan-
ical. mercurial or Iodine, first
an emetic for three mornings, cups
do not use Hydr chlor mil; if
there has been any scurvy. 5 gr of
Iodine 3 times daily and warm
bath.

111) Palpitation of Heart - trouble
of mind once shocked by a blood
Dr. Mitchell thinks that there is an
aneurismal Tumor on Aorta.

112) John Leslie 18, swelling in hand
thickening of tissue and hard inflam-
mation of skin. often bleed out inflam-
mation some preparation of As is good
rest - best - for him, after the bleed,
ointment - 2 gr As in 3 Mordana
5 gr Fowler's solution every morning.
been so for 5 years, Use Arsenic
also wear gloves on the hands.

113) Deformity both thigh bones
dislocated and bent: congenital
luxation child 6 months old
wait - for age to increase then

cut muscles use mechanical means
to the limbs you cannot make a good
cure.

(114) Grace Bornsburg, 56, has
7 children, youngest 13, changed 6
years ago, pain in stomach, flatulency
costive acid in stomach, has a
cough, slight endocarditis, history
general system, open bowels,
a cathartic, etherate, some
of the 3gr doses, 1/2 gr can bowels
1/2 gr blue mas. every night
put rusty iron rusty in vinegar
a wine glass every morning but
also use Cider, let alone more

(115) James Boaidy, 41, suffers
from Dyspnoea, cough in mor-
ning then vomit, sense of suffoca-
tion, chronic Bronchitis, redness
of mucous membrane, Dyspnoea
also cup, bleed blister, and

Dec. now 3 gr Squire $\frac{1}{2}$ gr calomel, $\frac{1}{2}$ ^{tale} ^{dege} _{gr}
one daily.

$\frac{1}{8}$ gr Argenti Nit 3 times daily
in bread do not use Salt. blister
in intercapular space.

116) Adeline Walker, has 4
children. pain in right Hypochondrium,
has had fever & ague
in right ovary perhaps, hurt by over-
working, ovary diseased, a bandage
with a pad over the part, $\frac{1}{2}$ gr ^{cicuta} ^{tale}
 $\frac{1}{2}$ gr $\frac{1}{2}$ gr Pod Pot, every day.

117) Childa Crusta Sucta, 15 months
remedies, use poison, S. Tar. red
precipitate 1 gr. Fowler's Solution
daily, of ointment use equal parts.

118) Richard Omeal 18 months
had Rubiola, has cough now, keeps
badly, will not drink milk, mother
must use portia as a drink.

Subluxation of

118. Subluxation of Knee joint
Swelling of knee, give him time
of Fr. Guinea. use setons, or issue
of three beams, good diet, Iodine
at night sometimes use spirit to the
limb, one form of white swelling
improves very much, a certain
cure, if you begin in time.

119. Suppur Excedens, common
in lip and a part of nostrils, gone
is now cicatrizing plenty food—
this Suppur Excedens eats like cancer
Doniphams solution, Doniphams if
practicable, or Fowler's sometime
but precipitate ointment is best.

120. Nail is contracted and
forming arch, growing down
dont tear it out, but cut out
from the centre a triangle it
scrape it, take cotton wadding
roll in cylinder till with burst

5120

Alum know it is under the
mail, is the very best remedy

(121) blind boy ball of eye pro-
jecting out and very painful
Staphelomia in both eyes, cornea
Hypertropia, Staphelomia ~~Pro~~
Staphelomia Racemosa,
Touch projection with Agniti Vili
if cornea not swollen, if so re-
move Cornea directly, use short
knife to operate, by one move.

(122) Turnor, in scrotum, of
a boy, and glans at bottom
Encysted Hydrocele, make a cut
use an orifice by acupuncture
do not throw in Iodine in the
young.

(123) Martha Baguio 35. Disruption
on rose chronic inflammation
of follicles. Tinculant wash like
Mentha no 84

(124) Ellen Useless, 15. Palpitation of heart, pain in throat, face flushed. Can't sleep at night. Disturbed catamenia, correct the cause, alter stomach, restrain abnormal action of heart. tinct guaiacum $\frac{1}{2}$ g, tinct digitalis $\frac{1}{3}$ g, $\frac{1}{2}$ g of opium, $\frac{1}{3}$ cascarella. teaspoon of H₂O. 3 times daily.

(125) Catharine Crawford, 15. has worms. you must poison them & then expel them, Aloes Chubard, colonel, give an aperient pill, always thinks of worms in children, sometimes give Olerum Terebinthina in large dose even a wine glass full. aperient pill is generally sufficient for children.

(126) rush to hear is from disease of heart. palpitation, he needs stimulation. he is anemic, difficult to cure.

from its length, Cath at Tonic, alter
tome use Digitalis $\frac{1}{4}$ gr. Rhei $\frac{1}{2}$ gr, $\frac{1}{2}$ gr Fer
to be taken one hour before meals, also
a wet cap night it diem, Pedicularis
at night, diet must be regulated.

127. This man indulges freely in
Masturbation which will ruin his
health forever if not stopped soon, he
ought to get married first—then—

127. child 15 months Iodide
Sulphur form (117) = wash the head
very clean, from scabs, Ungentum
Iodici Sulphur, Crusta Lacta.

128. Bettr Herley. Erosion of skin in
pimple over the body otherwise well.
folliculosis affection, ^{teaspoon} Sulp over
morning, flex seed tea for wash
ing the entire body.

129. Martha McKinnis 28
eruption on Ala of nose from
tumour, Iodide Sulp overstimulate

Lang Prof Dunsion
Glycerin is good
gun-cotton in rather to be ap-
plied over infected part, acts as a
covering called Colloction, rather
evaporates, leaving a coating or var-
nish protecting it from atmosphere.

(130) Sarah Kennedy. 18.
herpetic eruption on hands in
forms of scales, rub with ointment
6 times daily. $\frac{1}{2}$ z but $\frac{1}{2}$ z pitch
 $\frac{1}{2}$ z red ointment Rya.

(131) man has a Sun Stroke for
6 months. complains of numb-
ness in ~~left~~^{right} side of head. inflam-
mation perhaps, appetite good
has been in Hospital, we must or-
void excitement, counter irritant say
Seton in neck, first try unguentum
Rya on Antimonium to be rubbed
on nape of neck then Seton.

(132) man 45. has cough & spits
much. pain low down in chest

Prof Duglison

liver diseased, lies on right side
Nictic palp, vocal sound best on left
clear on right side, left side more
prolonged expiration, pain on left
root of lungs outside very sore
nutrition affected, *Oleum Jecoris
aselli*, much used, in England
Oleum Jecoris Aselli two tea
spoon 3 times daily on coffee
for the present, after meals accord-
ing to circumstances, Incipient
Tuberculosis indicated.

133 man James fore 22
beating in left side low down
belch up wind caused by indiges-
tion extreme heat, Tonic
Carbo ligni, *Pulvis Iugis*
use animal food, morning
milk & cracker, supper water
& cracker, *Carbo ligni* 3 ℥
Carbo magnesia 3 ℥

Prof. D. W. Dingle's on Jan 16 1880

(134) "Elgath, James Mullen,"

23, loud sound over apex of the heart, rasping sound, regurgitation of mitral valve, leg swelled at first in evening, pits on pressure, feeble pulse, at small, rheumatic pains of little value, beyond our reach for cure, take meat for meals, a sorbifacient, 10 gttls liquor Iodidi compositi not for its use, there is a deposition of ossific matter, nothing will do any good, some kind of Iodine

(135) Elg McKay, 7 month has spasms, epileptic, ~~and~~ ~~the~~ teeth

bowels regular, appetite good, spit every morning, test antimony at Potassu, is not good, 5 grs

Specie in three doses in milk with sugar, acting as emetic 1 gr of colomel, a new impression

Jan 23 1852 Prof Dunglison in Clinic

(135) Jefferson Truly, pain in ach
dormer, friction, pain gone, a form
of Neuralgia, Ol Terebin 6 gts
3 times daily, use rubbing, 1/2 hour

(136) John Marcon, 8, Thrivosis
shave head, bread & milk poultice
then we will give a remedy

(137) Sarah Daly, pain and
swelling in shoulder & arm. very
painful, cannot be rubbed, pal-
pitation of heart, & great great deal
flushed face. 15 gr Quinia
during the day also Magnes
Sulp 2 teaspoons in day

(138) Mary Thomas, Herpes Labi-
alis, costiveness, pain along the
blood, only nervous. corns of-
ten, a saline, magnes Sulp, & Potass
ointment - Zinc, for lip.

Prof Darglison Jan. 23 1850

Tuberculosis in advanced stage

(139). Ellen Armstrong, 23, sick
3 months, has had ague every day
very weak, at Anemie, shakes every
day, pain in right-side, vomits et-
cough often, palpitation, tongue dry
indicating infl., pulse 110 too weak
to stand, mucous ronehus on right
side Hectic fever, cavities in lungs
they sometimes recover, not often
Liquor Ferri Iodidi, 10 grs 3 times
daily, too weak to be rubbed
little hope of recovery in this.

(140). nettle rash. or Urticaria

Sodae Hyposulphite 6 grs 3
times daily Urticaria is of no
importance, a peculiar Idosin-
eracy, an emetic good often.

(141) Alfred Rives, 19, sedentary
employment, throat & mouth
soar, makes cigars, deals in to-
bacco, spits in morning.

Prof. Dunglison

and when going to bed. Pulse 100
good appetite, dull under left-clavi-
cle, air enters imperfectly, difference
in right & left-lung, throat
follicular Saryngitis, Tubercu-
sis, formations of tuberculosis
in left-lung, quick pulse, a
difficult case, good him to go
South animal food, tone of
system must be increased unguen-
tum antimonii, to be rubbed
over chest, to keep matters in quies-
cence, Sig. R. Turis Sodae 12gr
3 times daily.

142 Hysteria, convulsiva often
does not notice much, air
rises up from lungs. This loos-
es her mind, a ball rises up
also, Hysteroidal Epilepsy,
sick at stomach, been so
3 months. has no feeling

Prof. Dr. Langdon.

for long. Taken while asleep
or awake. mind disturbed
little the matter, assumed to prevent
labouring, affected only,
Catamenia regular also the func-
tions of body regular. nervous
symptoms. R. Tinct. Asafoetida
R. Tinct. Asafoetida
Castoria

- Also

Taken 5 gr of aa 5 times
daily the diabolical mixture
Taken 5 gr of aa 5 times
daily the diabolical mixture
Also

A W Jennings 1875

1875 1875
Alon. W. Jennings

Book. 1875 1875

Alon. Jennings Book 2

I would I would
like go to Richmond to see all of the
children. I would like to see aunt
Mollie and uncle Henry too. I
think that they would
like to see me and I would see
so many things that I would
not know what to look at
and I would go to see all the
people that I knew I saw
that the people would not
like to see me coming I would
be all ways going to see the pretty
things in the city like and I
would be all ways going to
town and we would go with
a bag full of money and
would be all ways laughing and
and we would go to the store
often from W. Jennings 1875-1875-1875

Spoken of malice in reproof of Mr Pitt
I was unwilling to interrupt the
course of this Debate while it was
carried on with ^{calmness} and decency, by men
who do not suffer the order of Opposition
to cloud their reason; or transport them
to such ex ^{clignity} passions as the ^{clignity} of this
Assembly does not admit.

I have hitherto deferred answering the gentle-
man, who declaimed against the bill with
such vehemence of gesture; who charged
the advocates for the expedience
now proposed with having no regard
to any interests but their own,
and such vehemence of gesture

3) Acute Orchitis, Scrotum is very red & swelling, inflammation put him on his back, low diet touch his gums with Hyd chlor mit, leeches, cold application, bagg truss lined with oiled silk.

4) Infection of Eustachian tubes to overcome any body as mucous on back with floor of mouth case much improved deafness partially gone

5) Necrosis open soft-parts to remove a pr of forceps remove bone that is loose close wound, poultice it and when bone that is left loosens remove it in same way.

6) fatty tumor on neck if they remain small let them alone but if they grow remove them directly use bistoury making simple cut and then tear it out with fingers for they are fleshy

dress first with lint - a kappe an hour
then remove lint - close wound with
a stitch or adhesive strapping.

8) Tumors in eye containing tears & pus
obstruction of ductus ad nasum.

9) Aneurism of Aorta was cured
by being let alone, aneurism had
destroyed part of Sternum, only
case of the kind ever seen by Dr
Mittler.

10) A false eye put in by Dr Mittler.

11) Spina Bifida of child to be cured
by treatment but seldom, congeni-
tal. do this, take a grooved needle
puncture on one side let out
some of serum at time say a
teaspoon. prevent swelling by
Kleister of Potash, a cap of plaster
confined by straps, after a time use
a smaller one and so on.
tumour is sometimes cured, no bone
but fibrous tissue very dense.

Dr. Miller,
 I put in another chamber of the
 eye called the hyaloid. brought about
 by specific inflammation, various
 degrees. These from some in
 haste, the in humans each eye.
 of inflammation at night, low with
 day; give measure to inflammation
 brought, large quantity of pus
 will be absorbed, & cornea is
 likely to burst - puncture with
 covering needle, 1/2 gr. Potassium
 mixture every evening
 (7) Line of eye destroyed -
 otherwise from a few, narrow
 contact & practicable. eye on
 opposite side is soon by opposite
 eye, try to keep in air, & desert
 in both eyes, low diet, magenta
 or both occasionally

Intermittent Fever

Proff J R. Mitchell

The intermittent implies the phenomena of the disease, there are three ordinary types, the quotidian, tertian and quartan. In the quotidian the paroxysm occurs every day, in the tertian every other day, in the quartan every third day, these regular types are liable to numerous diversities, the quotidian sometimes doubled, the paroxysm occurring twice a day, so with tertian and quartan. Symptoms, Each paroxysm of an intermittent fever when quite regular consists of three distinct stages, the cold, hot, and sweating, which generally succeeds each other in regular succession, very often the paroxysms are preceded by the ordinary preliminary symptoms of fever, such as feelings of languor or weariness, generally uneasiness, stretching yawning, etc, pain in the head and limbs, impaired appetite &c in the cold stage, the quotidian most frequent in the spring, the tertian in summer & the quartan in autumn.

~~Intermittent~~ ^{us} Fever

Prognosis, usually favourable in this disease. When a patient dies it is usually in the cold stage. Coma in this disease is an unfavourable symptom. Breathing of diaphragm alone, palpitation of the heart, diarrhoea, swelling and hardening of the abdomen are unfavourable signs, when one paroxysm lengthens so as to reach the other it is a bad sign.

Treatment. The character of the cold stage is nervous and congestion. In the first place keep your patient in bed and have him covered warm, then apply sinapism, warm pediluvia. Warm diluents are usually given in this disease when the chill is very severe sometimes opii whenever we give opii we usually give in some aromatic of which extr Strychnine is an excellent one. Some writers recommend the lancet in the beginning of the disease. But Dr Mitchell says do not use the lancet unless there is congestion of the blood, application of the ^{us} Tourniquet to the fore arm or calf of the leg has very often conquered this disease.

Intermittent Fever

Whenever there is gastric abdominal irritation give your patient cold drink, also cold water dashed over the patient or even sponges with cold water has often effected a cure when the remedies have failed, whenever there is pain in the back or tenderness on pressure apply a mustard plaster as hot as the patient can bear it and when there is pain on pressure of the stomach an emetic may be given, if there be headache the mustard emetic is as good as any other. Chloride, Sodium, & water is also a very useful emetic in this disease. Treatment of the hot stage, bleed in the hot stage, when the reaction is more than usual cold internally & externally, a diaphoretic also & the best of those are of a saline character, such as the Epsom Salts, the neutral mixtures, Fleu mays & the antimony et potassa tartros the warm bath etc. As to giving Quinia some prefer giving a large dose immediately after a paroxysm, and some immediately

Intermittent ^{Feve} Fever

before the expected paroxysm, while others give small doses between the paroxysm Dr Mitchell prefers giving it in small doses before the expected paroxysm especially in children, from ten to thirty grs may be given to an adult, an over dose may cause apoplexy of the brain, Dr Mitchell's mode of prescribing quinia Sulphas
R. Sulphate of quinia, grs, 16, dissolved in ℥ii of water add a little Sulphuric acid, say 16 gtt. also as much Sacch as to sweeten it, about ℥ii of the Spt nit aether also about ℥iiss of the T. opii, of this give a teaspoonful every hour beginning at such an hour that all will be taken before the next paroxysm, sometimes opium disagrees with your patient, and sometimes he cannot take Sulphate Quinia in solution it may then be given in pills. To prevent the return of chills a dose must be taken on the fifth day, seventh, ninth, twelfth

Intermittent Fever

etc; In cases of debility in Intermittent fever the following prescription is highly recommended by Dr Mitchell

R port wine ℥j - bark (china) 3i - theriaca 3j
a wine glass full at a time, next in rank in intermittent is Arsenic & its preparations, of these Fowler's solution is the most useful Dr Mitchell says to begin about 5 or 6 hours with 3 gttls & increase one drop every hour this has been known to cure when quinia has failed, as a preventative 5 gttls of Fowler's solution, when hepatic disease predominates the best cure is to give a large dose of Calomel say, grs. XX, In obstinate cases mix sulphur with the quinia If your patient be very feeble after the chill is stopped, give tonics.

Propp. J. H. Mitchell

Remittent fever. This disease is usually ^{very} malarious, it is very often called Bilious Remittent. There are two kinds, one more common in summer & the other in autumn. In the first the stomach is usually disordered, in the last liver, spleen etc. are affected. Symptoms, the prognostic symptoms are nearly the same as in intermittent fever, such as a feeling of discomfort, weariness, languor, a sense of weight or fulness at the epigastrium, want of appetite, pain in the back & loins, headache, nausea & vomiting, great thirst, disordered taste of the mouth, a general pain in the limbs etc. the urine high coloured & very scanty of a strong smell, most striking symptom is a yellow hue of the skin, whiteness of eyes, pulse more frequent than natural, being about 120 a minute, headache is one symptom which is hardly ever or never absent and pain over the brows. Prognosis favourable usually,

Remittent ^{fever} Fever

^{up}
Treatment of the summer remittent. In the first place bleed, apply cold internally & externally, in the febrile exacerbation, Calomel may be given in large doses, but must not be continued, after the disease yields, so as to produce ptyalism. Dr Stokes gives calomel early in the disease & considers it soothing & a sedative, calomel may be combined with aloes, Jalap. Senna, & magnesia. Cooks pill composed of calomel & aloes. Rhubarb $\bar{a}\bar{a}$, 2, grs, made into a pill is a very useful remedy. Emetics should not be used in this summer remittent, but in the autumnal form. When there is nausea & vomiting so that the stomach expels every thing & resists this mode of treatⁿ, a tumbler of ice powdered very fine mixed with a little ginger syrup, or common Syrup taken very often does a great deal of good. When there is gastric irritation, leeches, & sinapisms, hot poultice & hot sponges are very useful, the bicarbonate of potassa (cream of Tartar) makes the stomach

Remittent Fever,

bear a great deal of Tartar emetic without producing vomiting or nausea,

ⁱⁿ Treat, of the congestive form. The greatest difficulty is in the form - to produce reaction which is best done by cold friction & the cold or warm bath. In epigastric irritation apply leeches, cups, sinapisms etc, be very cautious as to bleeding, correct the nervous system by opii, for diarrhoea which is very common in this disease give $\frac{1}{2}$ gr of Sulph. of Morphia, 1 gr camphor, 2 gr blue mass, always give a little quinia with every thing you give. If there be hiccups give 6 grs. opii, $\frac{3}{4}$ ss of Sulphuric ether, $\frac{3}{4}$ i of Syrup, and $\frac{3}{4}$ viii aromatica aqua a table-spoonful every 2 hours.

Alvan Warner. Jennings Burnt
Ordinary offery

J. K. Mitchell, Prof. Jeff. Med. Coll.
Typhoid ⁱⁿ Fever. It is an inflammation
of the mesenteric glands. Symptoms, any fever
lasting longer than four days without an
eruption is typhoid, the mind loses its power.
The patient has headache in the morning soon
after getting up. The fever continued, the o-
dour of a Typhoid patient is musky, or, may
be like the smell of anaerobic mices, pulse hard
& strong, if the pulse of a Typhoid patient is
over 120, he very seldom recovers, on or after
the seventh day the eruptions break out,
there is generally delirium, although some cases
have been known to have gone through with-
out having a delirium at all, the tongue nat-
ural, yet sometimes furred, fur becoming dry
& brown. When a patient tells you he is better
he is worse, And if he tells you he is worse you
may think he is better. A swelling of the ab-
domen, the size of the spleen is increased in
the disease, a gurgling noise in right iliac
fossae is a sure sign of Typhoid fever & diarrhoea.

Typhoid Fever

¹⁴⁹
The earlier the delirium appears so much the worse, the patient usually has great thirst, loss of appetite, pain in head, back, & limbs, there is usually Diarrhoea which is a symptom by which we can rely in the disease, the stools are of a brown or amber colour, mucous stools are rarely found in Typhoid fever hæmorrhage from the nose is a frequent symptom & is not a bad sign, on or after the fourth day there is an eruption petechia which you are apt to take for flea bites, small watery blisters about the neck, arm pits, groins etc, they appear about the twelfth day, the sense affected, a ringing, or buzzing in the ears, pupils dilated, eyes not much affected sometimes a rigidity of muscles especially about the face. When we see this, the patient is most sure to die, the stomach very often becomes disordered, before the fourth day it is very difficult to tell what the disease is

Typhoid Fever

Prognosis generally unfavourable in Typhoid, the younger the patient, the more likely to get well, young females more so than males. Clammy sweats & erysipelas are unfavourable, so is oedema of lower extremity & throwing of the hand about from one side of bed to the other is a fatal sign. Favourable signs are, absence of Diarrhoea, evacuation less, 4 or 5 stools a day is not a bad sign.

Dr Mitchell says when the back bites looks like indigo your patient is sure to grow worse or die. In severe cases there is ulceration of the pharynx, oesophagus, larynx, of glands of mesocolon, & gland of large intestines & very often perforation of intestines, also inflammation of Pyloric orifice of stomach which is not found in other fevers, cerebral disorders, death occurs on seventh to fifteenth day, causes of Typhoid are unknown, some writers say it is contagious but Dr Mitchell thinks it is not.

my 24
Treatment, the first indication is to
give an emetic say i gr antimon et potassa
tartros & 20 gr, Spicac, which usually re-
moves the head-ache follow the emetic
by a saline cathartic, when pulse is hard
bleed from pint to pint & a half repeated
if circumstances indicate, if the head-ache
still exist cut the hair short & apply cold to
the head, as a bladder filled with ice bro-
ken fine say one third full, if patient
is chilled, abandon it for a few hours,
apply cold water internally (injection), and
leeches, if this fail, then try blisters to the
nucha, about seventh day headache abates,
Dr Mitchell says, if you bleed, bleed boldly
as long as pulse will admit, If there
be much inflammation of mucous membrane
purge from beginning, unless patient become
convalescent, purge a mild cathartic. If or
swelling of abdomen give cold water injections
Never stimulate if any thing else will do,

Give some mild preparation of ammonia
Give some mild preparation of ammonia
not more than 5 grs, to $3\frac{1}{2}$, Chlorine used inter-
nally is useful, never prescribe quinia before
the disease is of intermittent form, if there
is no headache use it with advantage, also Ni-
trate Potassa, dilute spots niter in teaspoonful
dose, give opii from 1 to 2 grs, it is a slow
fever commencing with inflammation, and
a slow pulse, Symptoms, head-ache, pain in the
back & loins, a peculiar countenance, which
D^r Mitchell says if once seen is never forgotten
deficient appetite, Treatment, antiphlogistic
in first stage, Sec, give purgatives, sometimes
stimulants, After bleeding, give an emetic
the purge, the stimulant, the cold application
is useful, also hot revellents, an infusion of
radix Ipecac is a very useful prescrip-
tion, Ipecac is a very useful ingredi-
ent in
tion Ipecac is a very useful prescrip-

iii
Typhus fever,

Dr Mitchell says it is not contagious yet some speak otherwise, generall attacks the low class of people, Death may take place by coma (debility of nervous system.)

Typhoid is endemic, while Typhus is epidemic, rarely diarrhoea, pulse seldom as low as a hundred, appearing mostly in winter & spring. Treatment external stimulants, an infusion of capsicum rubbed to the whole external surface is a valuable remedy, 4 grs, Antimoni et potassa tartras, ʒi, tinct opii ʒviii, camphorated mixture, a tea spoon twice a day, urine dark, et odorous foetid smell examine bladder, sometimes hiccup
R. 6 grs opii, ʒi ss sulphur ether ʒi syrup or sugar ʒviii, aromatic water, dose table spoonful every two hours,

Yellow Fever.

This is disease of one paroxysm divided into three stages, it is usually fatal in seven days. Cullen calls it, Typhus Setodes. Dr Mitchell says it is not contagious. Symptoms, the skin is hot & dry, pain great on pressure of the epigastrium, pain, head, back, neck, in the calf of leg, the eyes of a pink hue always, pulse full & irregular, skin yellow, tongue swollen & soft, bowels usually costive, sometimes a greenish mucus is evacuated, patient often seems better when worse. In stages of collapse the skin becomes of a mahogany hue, eyes sunk & glossy, skin dark, death taking place from the third to seventh day, often proving fatal to pregnant women. Treatment Dr Mitchell bleeds boldly if symptoms indicate cups to the back of neck, application of cold is useful, emetics may be used at times with much advantage, Cath^{ics} are highly useful, Hya chlor Nitre may be given ten, grs, to a drachm.

Scarlatina.

there are three stages, the first febrile, of remission, and of collapse, known by skin and black vomit. Treat the first stage by bleeding & mercury, second, it is in this stage that Sulp Quinia may be given, Nitrate silver, Sulphas cupri & mercurial acid, blisters, cold application etc, the skin and bowels must be kept open, Sp^t Terebinth as an internal stimulant may be used in the dose $\frac{1}{2}$ to 2 drachms. Third stage there is seldom any recovery, all we can do is to support the system by such means as Sulp Quinia, wine whey, brandy, etc

Scarlatina.

^{ny} This is a contagious febrile disease characterized by inflammation of fauces and scarlet rash appearing about 2^d day & ends in a desquamation on the sixth day. It is divided in three stages, or varieties,

Scarlatina simplex, in which there is no florid rash and little or no affection of

Scarlatina

of the throat, *Scarlatina anginosa* in which the skin & throat are affected, *Scarlatina maligna* in which disease is in the throat. Symptoms, frequent pulse, hot dry skin, flushed face, furred tongue, anorexia, thirst & weakness, sometimes nausea, vomiting more or less headache, restlessness, delirium, convulsions, pulse often 120 in minute, tongue presents appearance of strawberries on sec^d day head & neck becomes stiff, Pharynx affected, throat swollen, The period of incubation from 8 to 12 days, women more liable than men, children more so than either, signs of death, sudden shrieks without pain if he cannot open the mouth but only the lips while teeth are fast, your patient will surely die, Treat, in majority of cases it needs no treatment, do but little in mild forms, just keep bowels gently open, cooling drinks, regulate diet, keep patient quiet, see that the apartment is well ventilated.

Scarlatina, Rubella.

a dark colour of the eruption is a sign of inflammation, the skin may be sponged with warm water, keep bowels open by mild cathartics or laxatives if he has diarrhoea check it in usual manner, In disorders of Stomach give an emetic of a mild character, The late Dr Rush gave calomel in this disease, if the throat be much affected, give a demulcent acidulous slightly astringent or saline gargle, Never keep two children in same room, Belladonna is a protection from Scarlatina, 2 grs of the recent alcoholic extract of Belladonna & camphor water, to a child 5 years old give 6 drops, increasing one drop every year.

Measles. This is a contagious febrile disease characterized by catarrhal symptoms, & rash on the skin about fourth day accompanied with fever, it affects chief by the skin accompanied often by gastric irritation, may be known by small red

the chest, or the head,

dots like flea bites which coalesce in curved

lines first appearing on the face & neck, all ages

are liable to this disease, symptoms, faintness

chilliness, acting of extremities, frequent pulse

hot & dry skin, loss of appetite, furrowed tongue

headache, also some symptoms of irritation of

membranous of nostrils, fauces, larynx

eye etc. such as profuse discharge of tears

swelling, slight soreness of throat, roughness

of voice, a dry rough cough, lightness of the

chest, in some cases epistaxis, epigastric

pains, nausea & vomiting, bowels usually

constipation, about the eighth day, the

febrile symptoms begin to decline,

treatment, in first place regulate diet

keep your patient quiet, avoid a compa-

ny, dryness of fauces may be remedied by

inhalation of vapour of warm water or vin

of ygor, bowels should be kept open by saline

laxatives, demulcent drinks such as flav

our tea, gum acacia infusion of slippery

Rubeola, Hydrocephalus,

elm, to which may be added antimonial wine in small quantities. And when the skin becomes hot & dry the neutral mixture or the effervescent draught, should signs of Pneumonia bronchitis or Laryngitis or convulsion etc - Blood may be abstracted, nausea or anorexia may be arrested by giving an emetic from 5 to 20 gr. of Ipecac in a little sweetened water, if the eye lids be much inflamed, they must be washed with some demulcent or other such as mucilage of sassafras pith. Convulsion in children must be treated with hot pediluvia or warm bath & sinapisms to extremities.

Hydrocephalus may be divided in acute and chronic. Symptoms, deafness, blindness, paralysis spasms, change of temper, appetite not good, sleep in short naps, with muttering tones shows that there is unpleasant dreams, the disease may come on

Hydrocephalus.

gradually, but more commonly with convulsions of rigidity of muscles of neck, head, ache, etc.
first stage, pain in head, restlessness, tongue white, evacuations unnatural, & very dark or green, pulse slow. termination of inflammation to effusion, squinting, deafness, scratching of head, picking bed clothes, this is dying stage, muscles rigid after death on examination, brain softened with a milk appearance, with a watery fluid, abdomen is also found to be affected, intestines &c. This is a disease of childhood Dr Mitchell calls it a disease caused by scrophulous effusion etc. The period of dentation is most dangerous, sometimes cured by dipping in Ice water until the skin was turned red, Treatment, antiphlogistics, shave head never forget to bleed, and be sure to bleed until you produce the desired effect, you had better never to bleed unless you bleed enough. To settle stomach give magnes saturata with lemon juice, calomel may be used with great advantage. use warm bath, if that will

Rheumatism

not produce sleep, use opii, digitalis, prussic acid etc. 2nd stage must be used with blisters, Cath., Preventative is to watch the other diseases of children, dentition, they should not be sent to school too soon, if you see any symptoms give one drop of Fowler's solution cold bath, and if the hair is thick have it cut.

Rheumatism, divided in acute and chronic. Acute Rheumatism is accompanied with a full hard pulse, pain increased at night, swelling, redness etc, there is generally a disease of heart be very sure of the existence of this disease, for it is most always neglected by practitioners (In chronic rheumatism) Articular, capsular muscular men are more liable to this disease owing to men being more exposed to the weather, cold is one of the principle causes of articular Rheumatism etc, In treating of this you will often find it necessary to apply your treatment to the spine if the seat of disease seems to be in the extremities or

Rheumatism.

any other part of the body, the spine is often the seat of disease, when the legs are affected apply treatment to the upper part of spine, in upper extremities, apply treatment to lower part of spine, try & find a seat of disease and attack that part with your treatment. Sometimes it has its origin at affected part then treat at that part. Treatment, of acute rheumatism, first a general bleeding, in some cases as much as five pounds has been taken in five days, local bleeding by leeches. Tartar emetic formerly, quinia is much used now, Diaphoretics are also much used quinquina Dovers powders are sometimes used with great advantage more especially at night opii is also very useful to allay nervous irritation - Counter irritation, bark, Iron, etc. dry cups, sinapisms, etc. are used, also opium some give a large dose of Opium at bed time the new plan is to give, 1 gr. every hour, Dr Mitchell says it should be given in

Rheumatism Gout

sufficient quantities to cause a sweat over the whole body (extract. mine, colchicum) is a great remedy, but should not be used until you have overcome inflammation by other remedies. Tartar emetic most exclusively. Spts Serebintk is not used, but Dovers powders are a Sampson in the dose of 10. or 12 grs, many prefer the sweating plan, such as Virginia Sulfuraria. The chief is Arsenical preparations Fowler in dose 1 grtt & increase 1 grtt every two hours. Mucury is also used with advantage. Iodide Potassium has been used in chronic form with sugar or something else of the sort, a blister to the spine. Gout

There are two general forms of Gout, attacking different parts of body, slowly or suddenly, pain greatly aggravated at night, inflammation, redness heat etc, sometimes remissions of pain. Foot is common seat of Gout, coming in spring

Gout

most usually, after Gout the parts remain swelled, caused by good eating & sitting long at the table, taking no exercise soon after eating.

Treatment. Pill composed of colchicum digitalis, Colocynth, or siperate Colchi 3.grs, digitalis 2.gr, 2.gr, Colocynth compose antique pill, local application may do good, if it be cold put on hot poultice, direct treatment to morbid state of system Calomel or mercurial may be given in combination with Rhei followed by magnes or efform salts. Dovers powder may be given at bed time if febrile symptoms have abated. In the Neuralgic formis we often use anodynes. When internal organs are affected as the stomach, intestines heart etc, opium may be used in large doses, often combined with colchicum, A solution of Sulphate morphia with the wine of colchicum is also much used etc

Gastritis, or inflammation of stomach

Gastritis exist in two forms, acute & chronic.
Acute Gastritis. Symptoms, burning pain in epigastrium with increased nausea & vomiting, pain increased by pressure & excruciating in vomiting. Difficult deglutition owing to spasms of oesophagus or cardiac orifice. Thirst intense, tongue red along the edges, pulse frequent & small, becoming weak & thready, bowels costive urine high coloured, hurried respiration, hot skin usually hard dry cough. Treatment if caused by poison being taken in stomach evacuate it by warm water or emetic, & then treat as if it had arisen from some other cause, antiphlogistic - bleeding leeching, cups, anodyne, cold mucilaginous drinks cold arrow root, cathartics are called for in Gastritis. Hydro chloride nitre may be given, 5 to 15 grs, after due loss of blood, enema etc. The effervescent draught often operates favourably opium is useful,

Gastritis Chest,

When vomiting is very obstinate give an enema of laudanum with solution of starch or flax seed tea. Ice lemonade etc. Local treat. cups leeches to Epigastrium, regulation of diet. In fever and loss of appetite give farinaceous or mucilaginous drinks, as solution of Acacia, arrow root, barley decoction etc. Boiled rice, mush et gruels, stale bread, crackers, avoid all indigestible food, When there is debility improve diet is required, oysters, soft boiled eggs, animal jellies etc. carbon magnesia may be used to obviate costiveness, Rhis, Giddley powders Keep feet warm, Chest, diseases of, first examine chest by auscultation et percussion etc. Exploration by physical signs you should where every organ is seated & then you can tell whether the organ is enlarged or diminished, soft or hard, Take the measurement of chest, right side generally a little larger than the left, if the person is right handed is left handed left side is largest.

Diseases of Chest.

Also a difference in feel of a sound on
unsound chest, sound side being elastic,
The lung is a better conductor of sound
than any organ in body, When you can
alter the sound by the position of patient
you may know there is water or some fluid
when there is a clear sound with a dull one
around it, there is a cavity in lung, But
if you have a dull sound with a clear
one around it you may know you
have an enlargement with a part that
does not carry on its function, congestion
will cause a dull sound etc, Auscultation
is one of the most valuable means
by which we can distinguish diseases of
the chest, as the air enters by one large tube
it then subdivides into small ones, And
consequently produce a variety of sounds with
which we should be familiar, we can also
tell the action of heart, The Expirations
and inspirations,

Laryngitis, Croup.

Laryngitis, Treat, the person should speak in low tone, should not be allowed to breathe cold air, inhalation of ether is sometimes necessary, if there be Dyspeptic Symptoms be sure to ^{correct} ~~correct~~ them as notice the liver, Iodine et mercury may correct liver. Internal remedies are useful. corrosive sublimate, Nitrate silver, Iodide, inhalation of Throat lozenges.

Angina maligna trachealis or Croup. Sometimes disease in wind pipe, other times not. This disease was described by Miller as asthma of children, always plastic inflammation, false membranes etc face becomes flushed et spotted, or streaked puts his hands to throat, when the attack comes on in the night & does not last long it is Laryngismus stridulous of a mucous form. Sometimes it last 10 days, Treat, first abate inflammation by an emetic, Tartar emetic is best. Alumn in some cases, 1 gr. —

Croup. Cholera Morbus

may be given, but the best mode is to give one tenth of grain until vomiting warm bath, a vapour bath, external cold applications, rubefacients, calomel should be given as a sedative, 5 grs. after the attack as a preventative from another. Bleeding is highly useful. In nervous complications of croup Antispasmodics should be used, Mercury sometimes used, frictions with mercury to the Larynx. When the false membrane is formed we must get rid of it by an emetic it can often be withdrawn by cupping, ~~or leeches~~. The preparation of Iron.

Cholera Morbus. Symptoms, Vomiting & purging, may arise from improper food being taken into the Stomach, with rice-water evacuations soon after vomiting Bile is evacuated, attack preceded by chill, pain in calves of legs, feet, contraction of abdominal muscles.

Cholera Morbus, Cholera Asphyxia or Asiatic

Treat, when owing to improper food —
warm water - salt - mustard in warm wa-
ter. evacuate bowels also - use an emetic
warm water - salt - $\frac{1}{2}$ gill oil and molasses
thrown up rectum. Soda. - Potassa, prepare
chalk for acid on stomach, now to prevent
peristaltic action of intestines, use opii by in-
jection, this disease sometimes arises from ma-
licious influence, calomel in powder 10
to 20, grs. sedative dose, - Alteratives calomel
in small doses $\frac{1}{4}$ or $\frac{1}{2}$ gr with opii
keep patient in horizontal position, reg-
ulate diet, if thirsty give ice in small quan-
tities, regulate circulation by warm bath,
if malarious use the great antiperiodic,
quina. Cholera Asphyxia.

Comes at night or soon in morning while
asleep, pain at navel, large quantity of food
from stomach, vomiting & purging, skin cold
& sense of exhaustion, spasmodic affection of arms
legs, abdominal muscles, moisture, cold sweat,

Cholera Asphyxia,

pulse more feeble, sometimes not attured.
heart does not perform its functions, often
3 days without pulse, livid state about eyes
& lips, at feet, skin remains if pinched up,
cold breath, cold under tongue more so than
temperature of room, although complain-
ing of heat inwardly, eyes sink in, no
saliva, urine diminished, bile does not ap-
pear, respiration slow, but hurried, two in-
spirations to one expirations, voice hoarse
& feeble, mind rational but slow to act, some-
times delirium, or regardless of surround-
ing objects, thirst, weak pulse, Epigastric
distress, comes on without premonition,
matter from stomach like white of egg,
blow loses its serum, some die as by Asphyx-
ia, blood loses its saline properties, Carbon
increased, four times usual colouring matter,
lungs gorged with blood, suppression of
urine is fatal sign (Opium, Calomel, et
horizontality is remedy in England)

Chol. & Asphyxia

The ship New York from Havre after
being sixteen days at sea 7 souls were at-
tack and died. Yet having 385 souls on
board, and the Cholera has not appeared at
Havre yet - being eight weeks ago, and
Ship Inantore from Havre, having
passed through the same air infected
by Cholera has arrived at New Orleans
with it on board, Cholera always attacks
the robust and strong, while Contagious
diseases attack the feeble & sickly.

There is a power of contagion without
the body owing to premonitory influence
following rivers or commercial roads
where there is standing water or filth
more fatal in ages from 20 to 35. The
air is sometimes infected and can be aggra-
vated by filth, heat or moisture. Cleanliness
is a protection. Treatment
horizontality, Opium, Calomel warm
drinks sometimes succeed.

Cholera Asphyxia

if costive, purge cautiously with Calomel, sometimes the patient dies without usual symptoms, circulation fails, nervous system active, not only digestive, but discharge of serum, cut off degree of sensibility by opium, also astringent to bowels, opium prevents irritation in any part of skin & bowels is arrested, calomel sedative to nervous system, restore frequent stools warm the patient by cold affusions rub with snow or ice, if a timida man apply warm bath, if bold, cold bath or rub with ice, sometimes Sinapisms skin is not sensitive, water & Nitrate Acid internally, cold or warm drinks cold drinks drive heat from within warm drinks if cold internally. Spasms are very painful, Opium & Calomel sustain failing circulation, Opium must be relied on in Cholera. R 4 grs of opium & calomel 30, gr. at first;

Cholera & Sphyxia.

then small doses in proportion every two hours, at first, mustard to extremities, or calomel or Morphia once in three hours, sometimes calomel or opii by Rectum warm the skin by vapor of ^{alcohol} ~~alcohol~~ or water or dip a sheet in warm aqua, then wrap the patient in it, if circulation is wanting rub with powdered ice, cold drinks are philosophical, apply mustard or pepper, wash skin in warm aqua at salt never inject by veins, only use emetics when truly necessary. Chloroform is very useful in some cases, it will give time at ease at repose, then for you to use opii or calomel or stimulant, check spasm by Tourniquet. (Hand becomes livid) around calf of legs or fore arms, moderate stimulant wine or whey, then milk punch, stimulant by stomach or Rectum, Guinia 20 or 30 grs sometimes desirable.

Cholera Asphyxia

Dysentery

Strong Mercurials ointment sometimes
Sugar of Lead is highly recommen-
ded if there be nice evacuations,

5 grs of Opium et calomel every half
an hour, Anodyne with opium for
its base et calomel for a recuperation
is always the most successful.

Prof. Mitchell, Dysentery, Jan 16, /49

Treatment. Inject cold water often benefited.
Some practitioners rely solely on purging reg-
ulate the peristaltic motion of the intestine
oil et calomel has been used with much
success of all Cath^{ic}. Calomel is the best
in the dose of \mathfrak{ss} three times a day, Cream
Tartar has been used \mathfrak{ss} doses, Emetics
much used in malarious forms or when
the stomach is much disturbed. Spicac
alone or in composition with opium is
also an excellent remedy or Sandarium
- Calomel et Sandarium also Spicac \mathfrak{ss} ,
Opium Tertian 4 gr, Blue mass 5 gr Given

Dysentery.

at night followed next morning by the
comp powder of Salapa (chalk) James
powder - Tart antimony. Most Practitioners
give too little opii, good dose. 4. ^{gr}. Sudorifics
very useful, sweat should be kept up for some
time (24 hours) clovers powders - marmath
externally, horizontally - bleeding - cath ^{ie}
in day, et opiate at night = Calomel $\frac{1}{2}$ gr
Spicac 3 gr, opii 2 or 3 gr, every five or six
hours - cold mucilage or alburnum
Nitrate Argentum gr i to 3 water in-
jection - Acetate of lead - lime water milk
- linseed oil - oleaginous food - melted lard
or butter, et laudanum. Injected opii
pills, 4 grs goeased et pushed into rectum
with ginger. Tinct. Peruvimon - Nitric
acid, Buttermilk - guinea - chalk, upi-
notium perfoliatum tea - bandage round
abdomen,

Constipation.

Rareness of abrine evacuations with hardness
et dryness of the feces evacuation. Produced by
a great many causes - mechanical causes,
muscular action - worms, tight lacing etc
indigestion, inflammation, mental emo-
tion, Symptoms, reatness, loss of power in
the legs etc, Treat Bran bread, fruits
such as apples or peaches, prunes or injection
warm water, or water et salt; or mustard
(molasses, salt et castor oil) saline cath mixt
roxa, calcined magnesia - sulph magnesia
Tonic cath ^{ie} Rhub, aloes, colocynth et
all the bitter cath ^{ie} Rhei cinnamon
magnesia, Rhub, aloes, Sulph Iron
(Gamboge et cream Tart) Sulph Bitart-
Potassa, animal charcoal, exercise, cold
bath, If liver is out of order superadd
blue mass, or calomel, in from (3 to 5 gr
blue mass to 1 gr calomel) aloes 1 gr
Rhub 9r, 2, hya. chlo. mit. (calomel) 1/6 gr
Tart emetic 1/8 to 1/6 gr, ~~Hot~~ letting

Gastritis

Colic

clitorium, croton oil, etc.

Colic. Jan. 18, 1849. Prof. Mitchell

Treatment, relieve pain by opiates
carminatives to relieve the flatul.

injections, teaspoonful Laudanum to wine
glass starch, et warm aqua, by the mouth

30 or 40 gtt. - paragoric constipates but lit-
tle, warm bath, hot cloths, sinapians. if

acid use lime water or magnes to absorb
the gas oil is very good it soothes irrita-

ted parts, give Dover's powders. if cold feet
warm bath, bilious colic known by vomiting

Treat demands calomel not often opium
correct malarious influence by quinia

omit opii until bowels are evacuated. Tobac-
co smoke by rectum in some bad cases.

Gastritis. Its Symptoms,

loss of appetite, weakness, pain at stomach
a sense of weight, exhausted nervous system

pain may exist from first attack or not
pain on pressure, right or left side

Gastritis

Treatment

back of neck, yet sometimes appetite mor-
 bid, thirst great; give very small quantity
 of ice at a time, vomiting, often bowels
 costive, tongue often red or rough, every
 variety of tongue, circulation affected
 slow pulse cold sweat, viscid secretion
 in the mouth, respiration sympathises
 with disease, acute cases it kills in
 short time, diagnosis easy. Treat-
 remove causes, allay irritation, magnesia
 neutralises sulph acid. Treatment
 of Chronic Gastritis - first use alteratives
 calomel or Blue pill - some take 8 or 10 gr^s
 hyd. chl. mit. after dinner - among the al-
 teratives may be mentioned Arsenical pre-
 parations exercise on horseback. Dyspepsia
 has been cured by a blow on the ~~abdomen~~
 stomach - emetics are sometimes used
 where there are eructations flatulency &c
 and sulph. Cupri the best - blister, or seton
 over the epigastrium - ulcers are difficult

Gastritis Treatment.

to cure owing to the extreme mobility of the stomach-may be known by eructations pass etc, the treatment should be as rigid as possible-bleeding-counter irritants. Oint: tart emetic the best-Remedies to correct the stomach-secondly to remove the disease. In concretions of magnesia or chalk-use acetic acid or sulph acid-lime water best made by using a cold water, the coldest you can get-lime water et milk very much used-dose a wine-glassful some patients prefer the bicarbonate Potassa, Ammonia as highly carbonated as possible is a good antacid-a few drops aqua camphorate-sulp alumina-carbonate lime or prepared chalk-Pregnant women are apt to make use of the remedy to correct the acidity of the stomach-Bran much used to absorb the acid of stomach charcoal also an excellent absorbent

Gastritis Treatment, S.

animal the best made from new
sole-leather - aqua Potassa diluted et
sweetened - aqua Ammonia - vomit-
ing without nausea in Gastritis
- may be relieved by pressure - often
relieved by oleum succini - cups to
spine - warm bath if the skin be dry
- hyd. chl. mit $\frac{1}{6}$ gr 3 times daily -
 $\frac{1}{2}$ gr Blue mass - Nitrate silver - carbon-
ates et lactates Iron as tonic - Tonics
are the cure of all neuralgia - Pyrosis
or water brash is owing to bad habits
bad food etc, in Pyrosis correct
the original disease of the stomach
Oleum succini, Spt - Turbith - cath
to unload the stomach - magnesia
charcoal - Nitrat Potassa $\mathfrak{z}\text{i}$. Sulp mag
 $\mathfrak{z}\text{i}$. Sulp Iron gr xx. ~~Or~~ in aqua
Oii wineglassful.

Gentlemen, The regulations of the Jefferson Medical College require me (as a candidate for graduation) to present a Thesis on some subject connected with a medical course, which Thesis I now offer for your approval or dismissal. The subject is this: The Duties of a Medical Student. I feel incompetent to the task of describing the various & important duties of a Student of medicine, but some of its duties I know from a short experience, but you Gentlemen have not been remiss in your duty, for you have warned us against neglect & described the errors of idleness in a medical course. A great responsibility, an awful responsibility rest on a student, the importance of which will display itself more forcibly as life increases & troubles accumulate. Every man is bound by reason, duty, love & interest to be a benefactor of his race or else

he roves a vagabond in the midst of
youthful associations, or sports in profligacy
& prodigality, recreant to his God and
a curse to society. But the med^l Student
must act in quite a different sphere, he
when all others fail, must administer re-
lief to the suffering and to the dying
cheer up the desponding, animate the
languid spirit and give consolation in the
midst of tears and sorrow. A Student
must be diligent in his studies, bearing
in mind that upon his knowledge depends
the life of his fellow-man. By diligence
I do not mean that occasional & indif-
ferent reflection to some branch of
medicine which may please his
fancy for a while to the total dis-
regard of all others, neither do I
mean a half way kind of study
But I mean a diligence prompter
and encouraged by motives noble

& honourable, resting not until it has
satisfied the mind of the student that with
diligence he will secure the reconciliation
of his own conscience as well as, gain
the approbation of his friends & advisors
who feel great anxiety for his interest &
welfare. With diligence a student must
persevere, for perseverance is but the
hand maid of success.

Dr. J. B. Mitchell's Pills
℞. Opium 1 gr. Aloes 2 gr. Hyg-
chlo. mit 1/2 gr. Sassafras 1/2 gr.
m in three Pills taken before each meal
Amenorrhoea.

Prepare the System with suitable medicines

| | |
|-------------------------|-----|
| ℞. Tinctura Sanguinaria | 3ij |
| Tinct. Valerianae | 3i |
| Tinct. Lyttae | 3v |
| Glyrup Simple | 3vi |

M. Take a teaspoonful three times daily
often it requires more than this quantity.

Worms, Prof Huston, Huston Powders

Anthelmintics, remedies for worms

Safe worm, 2 oz. oil Terebinth in course of day, Lumbicoid, oil Terebinth, 10^{to} 20 gts. with large doses of castor oil, also worm seed one or two days then some Cath^{ie}. Spigellium, or Pink root, 10^{to} 20 gr. in solution. R. 1/2 3 Pink root (Spigellum) 1/2 3 Senna, 1/3 worm seed in pint of warm aqua, Chloride Sodium (salt) also good, Calomel & oil in a large dose in two hours after taking Calomel Carb Iron,

Magnesia neutralizes Sulf acid
Huston Powders, R. Bicarbonate of Potassa ʒii, pure aqua ʒ3.4, mixed together then take one spoonful of the solution to one spoonful of Lemon juice, & spoonful of pure water, making three spoonfuls, good for a cooling draught,

Gonorrhoea

Mittler's Pills Aromat. Also

R. Oil Copaira ʒij

" Jerebinthina ʒi

Pale Cubeba ʒiv

Magnes ʒiij

M - fl - Pelula. Lix

Use - Two 3 times a day

R. Spt. Jerebin

thina 1.03

Mya. chlo. mit

gr^s 60.

m - S - 3 qtt

per diem

Cramp in the Stomach.

R. magnes calc. ʒi

Spt ammonia aromat. ʒss

Sinct opii acet ʒi

Sack albi ʒi

Aq. Camph ʒiv

m - S - a table-spoonful every hour until relieved

12. 18. 48 888888

12. 18. 48 888888

